Certificate nr C-10979-14/EN Granted 17.3.2014 Updated 22.8.2022 English version 22.8.2022

## PRODUCT CERTIFICATE

### Meriser Oy

produce

# Merika –Tap angle box, manifold box and accessories of protection pipe systems.

Tap angle boxes are used to connect the protective pipes for hot water pipes (25 and 28 mm) to water fittings and manifold boxes to cover the manifolds and detect leaks. Merika extensions are used to extend the protective pipes. The product listing is given on the back of the certificate. This certificate is based on product type testing and inspection of the product quality assurance system in accordance with certification criteria R060. A summary of the defined properties is below:

Product	Requirement	Test Method	Result
Tap angle box	Watertightness	NT VVS 129 (6.4.6)	Requirements
	Connection to the protection pipe is water tight	NT VVS 129 (6.4.7)	fulfilled
	Resistance to pull out.	NT VVS 129 (6.4.8)	
Manifold box	Watertightness	NT VVS 129 (6.4.9)	Requirements fulfilled
	Watertightness of bushings	NT VVS 129 (6.4.10)	
	Resistance to pull out of the protection pipe.	NT VVS 129 (6.4.12)	
	Water capasity of the drain	NT VVS 129 (6.4.11)	
Exchangeability of the inner pipe	The tap water pipe should be	NT VVS 129 (6.4.13 and	Requirements
	replaceable and the protective tube should remain waterproof	6.4.14)	fulfilled
Connection of the protection pipe	Connection is water tight.	NT VVS 129 (6.4.7)	Requirements
	Resistance to pull out.	NT VVS (6.4.8)	fulfilled
Product markings	Products should be marked	NT VVS 129 (6.4.0)	Requirements fulfilled

According to the results, Merika splices, faucet angle boxes, manifold cabinets and related accessories are suitable for use in the PEX domestic water pipe conduit system when installed in accordance with the certificate holder's installation instructions.

This certificate is valid until 26th of March, 2024, provided that no significant changes are made to the product and that the manufacturer and Eurofins Expert Services Oy have a valid quality control certification agreement. The validity of the certificate can be checked from Eurofins Expert Services Oy www.sertifikaattihaku.fi . Other conditions are shown on the back of the certificate.

Espoo 22 <sup>r</sup>	nd of August, 2022
 Katja Vahtikari Manager,	Jyri Alkio Assessor
Construction Certification	71000001

# **PRODUCT CERTIFICATE**

Certificate nr C-10979-14/EN Granted 17.3.2014 Updated 22.8.2022 English version 22.8.2022

2 (3)

#### Products:

Tap angle box for PEX-pipe (Merika)  2271	
2270 PEX-coupling 12 mm PEX-coupling 15 mm PEX-coupling 15 mm PEX-coupling 18 mm PEX-coupling 18 mm PEX-coupling 18 mm PEX-coupling 18 mm Compression fitting 15 mm PEX-coupling 18 mm PEX-coupling 18 mm PEX-coupling 18 mm PEX-coupling 18 mm PEX-coupling 15 mm PEX-coupling 12 mm PEX-coupling 15 mm PEX-coupling 12 mm PEX-coupling 15 mm PEX-coupling 18 mm P	
22711 PEX-coupling 15 mm 2242 PEX-coupling 18 mm 2235 Compression fitting 15 mm  Double tap angle box (Merika)  2274 Compression fitting 15 mm  2290 Double angle box 18 mm  2292 Double angle box with sleeves and 15 mm compression	
2242 PEX-coupling 18 mm 2235 Compression fitting 15 mm  Double tap angle box (Merika)  2274 Compression fitting 15 mm  2290 Double angle box 18 mm  2292 Double angle box with sleeves and 15 mm compression	
Compression fitting 15 mm	
Double tap angle box (Merika)  2274  Compression fitting 15 mm  2290  Double angle box 18 mm  2292  Double angle box with sleeves and 15 mm compression	
Double tap angle box (Merika)  2274  Compression fitting 15 mm  2290  Double angle box 18 mm  2292  Double angle box with sleeves and 15 mm compression	
2274Compression fitting 15 mm2290Double angle box 18 mm2292Double angle box with sleeves and 15 mm compression	
2290 Double angle box 18 mm 2292 Double angle box with sleeves and 15 mm compressi	
2292 Double angle box with sleeves and 15 mm compress	
	ion fitting
	<u>•</u>
Mekapex- tap angle box	
2236 Compression fitting 15 mm	
22361 PEX-fitting 15 mm	
2239 PEX-fitting 18 mm	
1 0	
2267 Key for tap angle box	
2200 Bend angle for PEX-protection pipe 28 and 25	
2200_03, frame for the bend angle. without raising and	
extension parts	
2286 pressure testing plug R ½" plastic	
2269, 22691 sleeve for tap angle box	
2307 waterproofing flange for tap angle box	
2302 (28/28) 2309 (25/25) casting extension with packing	
Manifold box and accessories	
2241 Merikapex-manifold box • 550 × 500 × 118 mm	
2226 Over flow set 28 mm for manifold box	
2226/25 Over flow set 25 mm for manifold box	
2228 Frame for the manifold box • 550 × 500 × 120 mm	
Rubber sleeve for 34 mm manifold box	
22431 Rubber sleeve for 25 mm manifold box	
2244 Merikapex mounting sleeve for 28 mm manifold box	
22441 Merikapex mounting sleeve for 28 mm manifold box L MODEL	ONG
2224 Merikapex mounting sleeve for 25 mm manifold box	
22211 Mekapex mounting sleeve LONG MODEL for 25/28 n	nanifold
box	
2245 Merikapex sewer sleeve for 28 mm manifold box	
2225 Merikapex sewer sleeve for 25 mm manifold box	
2218 Merika conical packing 11–21	
2219 Mekapex sewer sleeve for 25/28 manifold box	
2221 Mekapex mounting sleeve for 25/28 manifold box	
Protection pipe accessories	
· ·	
1398 Merika clamp for cover 28 mm 1- piece	
1399 Merika clamp for cover 28 mm 2- piece	
PEX-pipe accessories	
16372 Merika plug for PEX-pipe 15 mm	



## PRODUCT CERTIFICATE

Certificate nr C-10979-14/EN Granted 17.3.2014 Updated 22.8.2022 English version 22.8.2022

22373	15 mm compression fitting
22372	MekaPjk pull out tool for inner part
22681	Merika grinder for MekaPjk tap angle box
22371	MekaPjk pull out tool for inner nut
22861	Merika pressure testing plug 1/2" plastic + o-ring, keyhole
	recessed
22862	Merika MekaPjk pressure testing plug 1/2" low, inserted
	keyhole 10 mm
22863	Merika pressure testing plug ½, with key ring
22692	Merika MekaPjk threaded sleeve
23071	Merika waterproofing flange for MekaPjk tap angle box

#### Certificate validity terms:

The validity of the certificate will end if the product is transferred to a scope of CE marking.

The references to the provisions, publications, standards and other reference documents specified in the certificate are valid in the form in which they were relevant at the time of granting the certificate.

The holder of the certificate is responsible for the quality of the product and the continuous quality control. Eurofins Expert Services Oy does not undertake, through the granting of this certificate, any liability for personal or other damages arising directly or indirectly from the use of the product.

The use of the name of Eurofins Expert Services Oy or Eurofins for advertising purposes or the partial publication of this certificate is permitted only with the written permission of Eurofins Expert Services Oy. This certificate is the English version of the original C-10979-14 Finnish certificate. In the event of a dispute the Finnish original certificate is valid.