

9 Neliökannet

Quality for HVAC
Technology



MERIKA®



9 Neliökannet

Quality for HVAC
Technology



Merika 901



Merika 962



Muovinelökansi, epäkeskeinen

Merika nro	LVI nro	EAN
901 valkoinen	3316801	6 4 15833 168010
902 ruskea	3316802	6 4 15833 168027
903 harmaa	3316803	6 4 15833 168034
904 beige	3316804	6 4 15833 168041
905 taivaansininen	3316805	6 4 15833 168058
906 rosa	3316806	6 4 15833 168065
907 vaaleanvihreä	3316807	6 4 15833 168072
908 tummanvihreä	3316808	6 4 15833 168089

• Koko: 204 × 204 mm • Paino 0,247 • Kpl/ltk: 20

Muovinelökansi

Merika nro	LVI nro	EAN
961 valkoinen	3316821	6 4 15833 168218
962 ruskea	3316822	6 4 15833 168225
963 harmaa	3316823	6 4 15833 168232
964 beige	3316824	6 4 15833 168249
965 taivaansininen	3316825	6 4 15833 168256
966 rosa	3316826	6 4 15833 168263
967 vaaleanvihreä	3316827	6 4 15833 168270
968 tummanvihreä	3316828	6 4 15833 168287

• Koko: 204 × 204 mm • Paino 0,204 • Kpl/ltk: 20
• Reunakorkeus vain 4 mm • Kannen ø 143 mm

9 Neliökannet

Quality for HVAC
Technology



Merika 984



Merika 996



Muovinelikansi

Merika nro	LVI nro	EAN
981 valkoinen	3316841	6 415833 168416
982 ruskea	3316842	6 415833 168423
983 harmaa	3316843	6 415833 168430
985 beige	3316844	6 415833 168447
984 taivaansininen	3316845	6 415833 168454
980 rosa	3316846	6 415833 168461
997 vaaleanvihreä	3316847	6 415833 168478
969 tummanvihreä	3316848	6 415833 168485

- Koko: 160 × 160 mm • Paino 0,150 • Kpl/ltk: 20
- Reunakorkeus vain 4 mm • Kannen ø 143 mm

Muovinelikansi, epäkeskeinen

Merika nro	LVI nro	EAN
986 valkoinen	3316861	6 415833 168614
987 ruskea	3316862	6 415833 168621
970 harmaa	3316863	6 415833 168638
989 beige	3316864	6 415833 168645
988 taivaansininen	3316865	6 415833 168652
971 rosa	3316866	6 415833 168669
996 vaaleanvihreä	3316867	6 415833 168676
990 tummanvihreä	3316868	6 415833 168683

- Koko: 180 × 180 mm • Paino 0,210 • Kpl/ltk: 20

9 Neliökannet

Quality for HVAC
Technology



Merika 953



Muovinelökansi

Merika nro	LVI nro	EAN
950 valkoinen	3316811	6 4 15833 168119
951 ruskea	3316812	6 4 15833 168126
952 harmaa	3316813	6 4 15833 168133
953 beige	3316814	6 4 15833 168140
954 taivaansininen	3316815	6 4 15833 168157
955 rosa	3316816	6 4 15833 168164
956 vaaleanvihreä	3316817	6 4 15833 168171
957 tummanvihreä	3316818	6 4 15833 168188

- Koko: 197 × 197 mm • Paino 0,161 • Kpl/ltk: 20
- Reunakorkeus vain 4 mm • Kannen ø 143 mm

9 Neliökannet

Quality for HVAC
Technology



Neliökansi, ruostumatonta terästä

Merika nro	LVI nro	koko	paino	kp/ltk	EAN
914	3316897	197 × 197	0,307	40	6 4 15833 168973
914M hiottu	3316896	197 × 197	0,279	20	6 4 15833 168966
M914 musta		197 × 197	0,279	20	

- Reunakorkeus vain 4 mm

Neliökansi, ruostumatonta terästä, 32 mm reiällä

913	3316898	197 × 197	0,278	20	6 4 15833 168980
913M hiottu	3316809	197 × 197	0,278	20	6 4 15833 168096

- Reunakorkeus vain 4 mm

Neliökansi, ruostumatonta terästä

915	3311420	197 × 197	0,339	20	6 4 15833 114208
915M hiottu	3316819	197 × 197	0,339	20	6 4 15833 168195
M915 musta	3312416	197 × 197	0,339	20	6 4 38541 000656

- Reunakorkeus vain 4 mm • kansi 2 mm

Neliökansi, ruostumatonta terästä, 32 mm uralla

915/32	3316849	197 × 197 / 32	0,357	20	6 4 15833 168492
915/32/M hiottu	3316820	197 × 197 / 32	0,357	20	6 4 15833 168201

- Reunakorkeus vain 4 mm • kansi 2 mm

9 Neliökannet

Quality for HVAC
Technology



Ruostumaton kansi, asennuskehys muovia

Merika nro	LVI nro	koko	paino	kpl	EAN
912	3316881	160 × 160	0,523	20	6 4 15833 168812
912/32	3316882	160 × 160/32	0,512	20	6 4 15833 168829

• Kansi 3 mm ruostumatonta terästä • Asennuskehys muovia • Reunakorkeus 7 mm

Neliökansi, ruostumatonta terästä

917	3316895	197 × 197	0,657	20	6 4 15833 168959
M917 musta		197x197	0,657	20	
918*	3316899	197 × 197	0,624	20	6 4 15833 168997

• Reunakorkeus 7 mm, kansi 3 mm

*) 32 mm reiällä

Neliökansi, ruostumatonta terästä

919	3316894	197 × 197	0,646	20	6 4 15833 168942
-----	---------	-----------	-------	----	------------------

• Reunakorkeus 7 mm, kansi 3 mm • Ruuvilukittavalla kannella

Neliökansi, ruostumatonta terästä, epäkeskeinen

916	3316888	197 × 197	0,864	20	6 4 15833 168881
9161*	3311415	197 × 197	0,835	20	6 4 15833 114154

• Reunakorkeus 6,5 mm, kansi 3 mm • Epäkeskeinen muovikehys • ±15/±7,5 mm, RST-kansi

*) 32 mm reiällä

9 Neliökannet

Quality for HVAC
Technology



Neliökansi, ruostumatonta terästä

Merika nro	LVI nro	koko	paino	kpl	EAN
9171	3316829	197 × 197	0,645	1	6 4 15833 168294
9172	3316830	197 × 197	0,635	1	6 4 15833 168300
9173	3316831	197 × 197	0,666	1	6 4 15833 168317
9174	3316832	197 × 197	0,653	1	6 4 15833 168324
9175	3316833	197 × 197	0,675	1	6 4 15833 168331
9176	3316834	197 × 197	0,677	1	6 4 15833 168348

• Reunakorkeus 7 mm, kansi 3 mm

9 Neliökannet

Quality for HVAC
Technology




PH-KAIVOILLE Ruostumaton kansi, asennuskehys muovia

Merika nro	LVI nro	koko	paino	kpl	EAN
911	3316893	297 × 297	1,900	1	6 415833 168935
911/32	3316889	297 × 297/32	1,894	1	6 415833 168898
911/50	3316890	297 × 297/50	1,874	1	6 415833 168904

• Kansi 3 mm ruostumatonta terästä • Asennuskehys muovia • Reunakorkeus 8 mm

9 Neliökannet

Quality for HVAC
Technology



Neliökansien varaosat

Merika nro	LVI nro	kuvaus	paino	EAN
430		RST-kansi PH-kaivolle • 290 × 290 • 3 mm	1,670	
430/U umpikansi		RST-kansi PH-kaivolle • 288 × 288 • 3 mm	1,958	
430/32		RST-kansi PH-kaivolle • 290 × 290 • 32 mm reiällä • 3 mm	1,667	
430/50		RST-kansi PH-kaivolle • 290 × 290 • 50 mm reiällä • 3 mm	1,647	
437	3315733	RST-kansi • ø 150 • 1 mm	0,125	6 4 15833 1157335
437M hiottu		RST-kansi • ø 150 • 1 mm	0,123	
M437 musta		RST-kansi • ø 150 • 1 mm	0,125	
437_02	3315734	RST-kansi • ø 150 • 32 mm reiällä • 1 mm	0,122	6 4 15833 1157342
437_04	3311421	RST-kansi • ø 150 • suorakaidereiät • 2 mm	0,205	6 4 15833 1114215
437_05	3311434	RST-kansi • ø 150 • suorakaidereiät 32 mm uralla • 2 mm	0,205	6 4 15833 1114345
437_06 hiottu	3311435	RST-kansi • ø 150 • suorakaidereiät • 2 mm	0,122	6 4 15833 1114352
437_07 hiottu	3311436	RST-kansi • ø 150 • suorakaidereiät 32 mm uralla • 2 mm	0,205	6 4 15833 1114369
437/32/U		RST-kansi • ø 150 • 32 mm uralla • 1 mm	0,119	
437/32/U/M hiottu		RST-kansi • ø 150 • 32 mm uralla • 1 mm	0,119	

9 Neliökannet

Quality for HVAC
Technology



Neliökansien varaosat

Merika nro	LVI nro	kuvaus	paino	EAN
438		RST-kansi • 156 × 156 • 3 mm	0,452	
M438		RST-kansi • 156 × 156 • 3 mm	0,452	
438_02		RST-kansi • 156 × 156 • 32 mm reiällä • 3 mm	0,443	
438_03		RST-kansi • 156 × 156 • 32 mm uralla • 3 mm	0,426	
4381	3316835	RST-kansi • 156 × 156 • 3 mm	0,475	6 4 15833 168355
4382	3316836	RST-kansi 156 × 156 • 3 mm	0,475	6 4 15833 168362
4383	3316837	RST-kansi 156 × 156 • 3 mm	0,504	6 4 15833 168379
4384	3316838	RST-kansi 156 × 156 • 3 mm	0,491	6 4 15833 168386
4385	3316839	RST-kansi 156 × 156 • 3 mm	0,516	6 4 15833 168393
4386	3316840	RST-kansi 156 × 156 • 3 mm	0,517	6 4 15833 168409
439_011		Lukitusrautasarja RST-kanteen 439	0,016	
916_01	3311441	RST-kansi 189 × 189 • 3 mm	0,754	6 4 38541 000502